ISO 22000 certified producers for Menthol & Essential Oils

SAFETY DATA SHEET

Revision Date: 01.03.2022

1. IDENTIFICATION

| Product Description: | METHYL CHAVICOL |
|--------------------------|---|
| CAS # | 8015-73-4 |
| FEMA Number | 2119 |
| Recommended Use | Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance |
| | Compounds according to legal and IFRA or FEMA GRAS/FDA guidelines. |
| Recommended Restrictions | For Manufacturing Use Only. |
| | |

COMPANY

INFORMATION

Quality Mint & Allied Chemicals D-24-27, Harthala Industrial Estate Uttar Pradesh, Moradabad, 244001 INDIA For Information, call: +91591 2450799 Web Site: <u>www.qualitymint.co.in</u>

24 HOUR EMERGENCY RESPONSE

TELE: +91 7895101397 TELE: +91 7500063222

Manufacturer/Importer/Supplier/Distributor Information: Manufacturer

Company Name:Quality Mint & Allied ChemicalsAddress:D-24-27, Harthala Industrial EstateUttar Pradesh, Moradabad, 244001INDIA

2.HAZARD(S) IDENTIFICATION


| Flammable liquids | Category 4 |
|--|--|
| Acute toxicity, oral | Category 5 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Sensitization, skin | Category 1 |
| Aspiration hazard | Category 1 |
| Hazardous to the aquatic environment, acute hazard | Category 2 |
| Hazardous to the aquatic environment, long-term hazard | Category 2 |
| | Acute toxicity, oral Skin corrosion/irritation Serious eye damage/eye irritation Sensitization, skin Aspiration hazard Hazardous to the aquatic environment, acute hazard Hazardous to the aquatic environment, |

An Indian Government Awarded Export House



ISO 22000 certified producers for Menthol & Essential Oils

Label elements



An Indian Government Awarded Export House

Kosher

ISO 22000 certified producers for Menthol & Essential Oils

Supplemental information

100% of the substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substances | | | | |
|-----------------|--------------------------|------------|-----|--|
| Chemical name | Common name and synonyms | CAS number | % | |
| METHYL CHAVICOL | | 8015-73-4 | 100 | |

4. FIRST-AID MEASURES

| Inhalation | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist. |
|--|---|
| Skin contact | Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes. |
| Eye contact | Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids. |
| Ingestion | Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. |
| Most important symptoms/effects, acute and delayed | Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. |
| Indication of immediate medical attention and special treatment needed | Not available. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |

5. FIRE-FIGHTING MEASURES

- - A

| Suitable extinguishing media | Water spray, fog, CO2, dry chemical, or alcohol resistant foam. |
|--|--|
| Unsuitable extinguishing media | Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards arising from the chemical | Fire may produce irritating, corrosive and/or toxic gases. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires. |
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control. |
| Specific methods | Use water spray to cool unopened containers. |
| General fire hazards | Static charges generated by emptying package in or near flammable vapor may cause flash fire. |
| | |

An Indian Government Awarded Export House

GMP



Kosher

ISO 22000 certified producers for Menthol & Essential Oils

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. | | |
|---|---|--|--|
| Methods and materials for containment and cleaning up | Collect and dispose of spillage as indicated in section 13 of the SDS. | | |
| | Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. | | |
| | The product is immiscible with water and will spread on the water surface. | | |
| | Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. | | |
| | Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains. | | |
| | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. | | |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. | | |
| Environmental precautions | Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. | | |
| 7. HANDLING AND ST | ORAGE | | |
| Precautions for safe handling | Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. | | |
| Conditions for safe storage, including any incompatibilities | Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. | | |
| 8. EXPOSURE CONTR | ROLS/PERSONAL PROTECTION | | |
| Occupational exposure limits | This substance has no PEL, TLV, or other recommended exposure limit. | | |
| Biological limit values | No biological exposure limits noted for the ingredient(s). | | |
| Appropriate engineering controls | Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation | | |

should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

180

- -A

| Eye/face protection | Face shield is recommended. |
|---------------------|--|
| Skin protection | |
| Hand protection | Chemical resistant gloves. |
| Other | Use of an impervious apron is recommended. |

(GMP)

An Indian Government Awarded Export House

FDA

Kosher

ISO 22000 certified producers for Menthol & Essential Oils

| Respiratory protection | Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided. |
|--------------------------------|--|
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Colorless Liquid. |
|--|-------------------------|
| Physical state | Liquid. |
| Form | Liquid |
| Color | Light yellow. |
| Odor | |
| | Sweet, Anise like taste |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | (81.0 °C) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explo | sive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Insoluble |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| | |

An Indian Government Awarded Export House

(GMP)

180

D-24-27, HARTHALA INDUSTRIAL ESTATE, KANTH ROAD, MORADABAD-244001 UP, INDIA

R

Kosher

ISO 22000 certified producers for Menthol & Essential Oils

Other information

| Density | 0.895 g/cm3 estimated at 20 °C |
|---------------------------------------|--|
| Explosive properties | Not explosive. |
| Molecular formula | Not applicable |
| Oxidizing properties | Not oxidizing. |
| Specific gravity | 0.9 at 25 °C |
| 10. STABILITY AND |) REACTIVITY |
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products if stored and handled as indicated. |

11. TOXICOLOGICAL INFORMATION

| Information on likely routes of exposure | | |
|--|---|---|
| Inhalation | Knowledge about health hazard is incomplete. | |
| Skin contact | Causes skin irritation. May cause an allergic skin reaction. | |
| Eye contact | Causes serious eye irritation. | |
| Ingestion | May be harmful if swallowed. Droplets of the product vomiting may cause a serious chemical pneumonia. | aspirated into the lungs through ingestion or |
| Symptoms related to the physical, chemical and toxicological characteristics | Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. | |
| Information on toxicological effects | | |
| Acute toxicity | May be fatal if swallowed and enters airways. | |
| Product | Species | Test Results |
| METHYL CHAVICOL (CAS 8015-7 | (3-4) | |
| Acute | | |
| Oral | | |
| LD50 | Rat | 2650 mg/kg |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Due to partial or complete lack of data the classification | on is not possible. |
| | An Indian Government Awarded Export | House |
| | | Kosher |

D-24-27, HARTHALA INDUSTRIAL ESTATE, KANTH ROAD, MORADABAD-244001 UP, INDIA

ISO 22000 certified producers for Menthol & Essential Oils

| Skin sensitization | May cause an allergic skin reaction. | | |
|---|---|--|--|
| Germ cell mutagenicity | Due to partial or complete lack of data the classification is not possible. | | |
| Carcinogenicity | Due to partial or complete lack of data the classification is not possible. | | |
| IARC Monographs. Overall E | valuation of Carcinogenicity | | |
| Not listed. | | | |
| | l Substances (29 CFR 1910.1001-1053) | | |
| Not listed. | gram (NTP) Report on Carcinogens | | |
| Not listed. | | | |
| Reproductive toxicity | Due to partial or complete lack of data the classification is not possible. | | |
| Specific target organ toxicity - Due to partial or complete lack of data the classification is not possible. single exposure | | | |
| Specific target organ toxicity - repeated exposure | Due to partial or complete lack of data the classification is not possible. | | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | | |
| 12. ECOLOGICAL INFORM | MATION | | |
| Ecotoxicity | Toxic to aquatic life with long lasting effects. | | |
| Persistence and degradability No data is available on the degradability of this substance. | | | |
| Bioaccumulative potential | No data available. | | |
| Mobility in soil | No data available. | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | |
| 13.DISPOSAL CONSIDER | ATIONS | | |
| Disposal instructions | Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| Local disposal regulations Dispose in accordance with all applicable regulations. | | | |
| Hazardous waste code | Not established. | | |
| Waste from residues / unused products | Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). | | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. | | |

An Indian Government Awarded Export House



180



R

D-24-27, HARTHALA INDUSTRIAL ESTATE, KANTH ROAD, MORADABAD-244001 UP, INDIA

ISO 22000 certified producers for Menthol & Essential Oils

14. TRANSPORT INFORMATION

| ADN | | |
|--|---|--|
| UN number UN proper shipping name | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHYL CHAVICOL) | |
| | | |
| Transport hazard class(es) | 9 | |
| Subsidiary class(es) | - | |
| Packing group | III | |
| Environmental hazards | Yes | |
| Labels required | 9 | |
| ADR | | |
| UN number | 3082 | |
| UN proper shipping nan | | |
| Transport hazard class(| | |
| Subsidiary class(es) | · · · · · | |
| Packing group | III | |
| Environmental hazards | Yes | |
| Labels required | 9 | |
| RID | | |
| UN number | 3082 | |
| UN proper shipping nan | | |
| Transport hazard class(| es) CHAVICOL)9 | |
| Subsidiary class(es) | - | |
| Packing Group | | |
| Environmental Hazards | Yes 9 | |
| Labels required Special precautions for | | |
| DOT | | |
| BULK | | |
| UN number | NA1993 | |
| Proper shipping name | COMBUSTIBLE LIQUID, N.O.S. (METHYL CHAVICOL) | |
| Hazard class | Combustible liq | |
| Packing group | | |
| Environmental hazards | | |
| Marine pollutant | Yes | |
| Packaging exceptions | 150 | |
| Packaging bulk | 241 | |
| Labels required | 9 | |
| DOT | | |
| NON-BULK | | |
| Not regulated as dangerous goods. | | |
| ΙΑΤΑ | | |

Not regulated as dangerous goods.

IMDG




ISO 22000 certified producers for Menthol & Essential Oils

| UN number UN proper shipping name Transport hazard class(es) Subsidiary class(es) | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHYL CHAVICOL)9 - |
|--|--|
| Packing group | III |
| Environmental hazards | |
| Marine pollutant | Yes |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

ADN; ADR; IMDG; RID



Marine pollutant



15.REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)



ISO 22000 certified producers for Menthol & Essential Oils

| Not listed. | |
|-------------|--|
|-------------|--|

| Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. | | |
|--|---|--|
| SARA 311/312 Hazardous chemical | Yes | |
| Classified hazard categories | Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitization Aspiration hazard | |
| SARA 313 (TRI reporting) Not regulated. | | |
| Other federal regulations | | |
| Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. | | |
| Clean Air Act (CAA) Section 1 Not regulated. | 12(r) Accidental Release Prevention (40 CFR 68.130) | |
| Safe Drinking Water Act (SDWA) | Not regulated. | |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION



ISO 22000 certified producers for Menthol & Essential Oils

HMIS® ratings Disclaimer

Health: 2* Flammability:2 Physical hazard: 0

Quality Mint & Allied Chemicals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as aguarantee or quality specification. This product has not been evaluated for safe use in ecigarettesor any vaping application where the product(s) is/are intentionally vaporized and inhaled. Quality Mint & Allied Chemicals has performed no testing on these products in ecig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intendeduse and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:
H266-Flammable liquid and vapor
H227-Combustible liquid
H302-Harmful if swallowed
H303-May be harmful if swallowed and enter airways
H-313 May be harmful in contact with skin
H315-Causes skin irritation
H316-Causes mild skin irritation

Kosh

- H317-May cause an allergic skin reaction.
- H319-Cause serious eye irritation
- H320-Causes eye irritation
- H-361-Suspected of damaging fertility or the unborn child
- H-400-Very toxic to aquatic life
- H401-Toxic to aquatic life
- H402-Harmful to aquatic life
- H410-Very toxic to aquatic life with long lasting effects
- H411-Toxic to aquatic life with long lasting effects

An Indian Government Awarded Export House

